

## Chlormequat Chloride (PC 18101)

Pre-submission Meeting Taminco, a subsidiary of Eastman Chemical Company – EPA July 14, 2016

### Agenda

#### Preregistration Meeting between EPA and Taminco, a subsidiary of Eastman Chemical Company

**Chlormequat Chloride (PC 18101)** 

July 14, 2016 11:00 am – 12:00 pm

Introductions

Attendees:

Taminco/Eastman: John Hott (regulatory affairs)

Jessica McLaughlin (regulatory affairs)

John Kelly (regional crop protection manager)

VJP Consulting:

Vince Piccirillo (regulatory agent)

Via Phone:

Lieven Uytterhaegen (regulatory affairs)

Floortje Garreyn (regulatory affairs) Khalid El Ouadi (regulatory affairs)

David Kossor (toxicologist)

- Taminco's Regulatory Approach
- · Background of Chlormequat Chloride
- EPA Data Requirements to support Section 3 TGAI
- EPA Data Requirements to support Section 3 End-Use Product
- Discussion

EASTIVAN

### Taminco's Regulatory Approach

#### Phase 1

 Taminco will submit an import tolerance petition for chlormequat chloride on wheat, barley, and oats under PRIA R280 in July 2016

#### Phase 2

- Taminco will seek a Section 3 registration for a TGAI of chlormequat chloride that will be used to formulate our end-use product
- Taminco will seek a Section 3 registration for End-Use Product (containing 54.87% chlormequat chloride by weight) for use as a growth regulator on wheat, barley, and oats

# Current Registered Uses of Chlormequat Chloride

 Greenhouse, nurseries, shade houses and outdoor containerized ornamentals

## Taminco's Proposed Use of Chlormequat Chloride

First food use on wheat, barley, and oats



### Chlormequat Chloride

- Chlormequat chloride is a plant growth regulator (PGR) that inhibits the action of gibberellic acid, resulting in shortening and strengthening of stems in plants and reduced branching in foliage in certain species of shrubs and trees.
- EPA refers to chlormequat chloride as a low-risk pesticide in the RED.


### End-Use Product - Lodging Control

#### Wheat



- Untreated
  - 60% Lodging at harvest


- **Treated**
- No lodging at Harvest
- Above average yield



## End-Use Product - Reduced Plant Height

#### Wheat





### **Product Chemistry Requirements**

- Technical Chlormequat Chloride at 66% is registered by Fine AgroChemical
- Taminco owns all data submitted to support Fine AgroChemical TGAI registration
- We will cite our own data

### Toxicology

- Required acute toxicity studies, repeated dose oral and dermal studies, developmental toxicity studies, reproductive toxicity studies, genetic toxicity studies, chronic toxicity and oncogenicity studies and metabolism/pharmacokinetics studies owned by Taminco were previously submitted to USEPA in support of a technical registration and will be cited for this Section 3 registration
- Acute Neurotoxicity (ANT) Study
  - Will be initiated to support Section 3 registration
- Subchronic Neurotoxicity Study
  - Conditionally required based on results of ANT study
- Immunotoxicity
  - Based on existing data, a waiver request will be submitted

### **Applicator Exposure**

 Will cite data from Ag Handler Exposure Task Force

### Post-Applicator Exposure

Will cite data from Ag Reentry Task Force

Taminco US LLC is a member of both AHETE & ARTE

#### **Environmental Fate**

- Aerobic Soil Metabolism Study
  - MRID 46715225 classified as supplemental because all transformation products > 10% may not have been identified. Taminco conducted a new study in 2006. No metabolites exceeding 2.6 % AR were found. This report will be submitted to EPA.
  - Rapid degradation of chlormequat chloride in soil: Half lives range from 30 to 40 days in MIRD 46715225 and 10 to 37 days in the new Taminco study.

EASTWAN

#### Environmental Fate – Cont.

- Aerobic Aquatic Metabolism Study
  - MRID 46715227 was classified as supplemental. Non extractable residues were uncharacterized. A new study or limited study may be initiated based on review of the study on file.
- Anaerobic Soil Metabolism
  - In view of the spring application timing of the end-use product on cereals, no anaerobic conditions would be expected. Furthermore CCC has a relative short half-life. Therefore we believe it is justified to waive this study.
- Anaerobic Aquatic Metabolism
  - In view of the fast degradation of CCC in water-sediment systems, we believe this study should not be required.

EASTNAN

#### Environmental Fate – Cont.

- Terrestrial Field Dissipation Study
  - A waiver request will be submitted to EPA
    - Chlormequat Chloride will be applied to dense fields of non-row crops - Foliar Dissipation will predominate
    - Low application rates
    - Short half-life of parent in soil with low levels of metabolites (10- 43 days).

## Terrestrial and Aquatic Non-Target Organisms

- Freshwater Invertebrate LC50 (TGAI)
  - Will cite 138719 as this has been deemed acceptable for Risk Assessment
- Estuarine and Marine Toxicity Fish, Mollusk, Shrimp (TGAI)
  - As wheat, barley and oats are not grown in areas where marine and estuarine environments occur, a waiver will be requested for these studies.

EASTNAN

## Terrestrial and Aquatic Non-Target Organisms – Cont.

- Freshwater Fish LC50 Cold Water Species (TGAI)
  - Will cite 46715217 as this has been deemed acceptable for Risk Assessment
- Aquatic Invertebrates Life Cycle Freshwater
  - Will cite 46715216 along with 46715215 as this has been deemed acceptable for Risk Assessment
- Fish Early Life Stage Freshwater
  - Will cite 47769401 and 47769402 to fulfil this data requirement

EASTWAN

Terrestrial and Aquatic Non-Target Organisms – Cont.

- Avian Acute Oral Passerine
  - Will be initiated to support Section 3 registration
- Avian Acute Oral Quail or Duck
  - Will cite 46715211 as this has been deemed acceptable for Risk Assessment
- Avian Dietary Toxicity Quail
  - Will cite 46715212 as this has been deemed acceptable for Risk Assessment

EASTWAI

Terrestrial and Aquatic Non-Target Organisms – Cont.

- Avian Dietary Toxicity Duck
  - We will cite 46715213 as this has been deemed acceptable for Risk Assessment
- Avian Reproduction Quail
  - No quail reproduction study was required for reregistration, we believe this study should not be required
- Avian Reproduction Duck
  - Study requirement seems to have been dropped from previous registrations for Chlormequat Chloride

### Non-Target Insects

- Honey Bee Acute Contact LD50
  - MRID 46715224 was acceptable during 2007 RED

### Non-Target Plants

- Seedling Emergence Tier 1
  - Has been initiated to support Section 3 registration
- Vegetative Vigor Tier 1
  - Has been initiated to support Section 3 registration

### Residue Assessments – Summary

#### Wheat:

- 6 trials in Canada (2015), including 1 trial analyzing aspirated grain fractions (AGF)
- 17 trials in USA, includes 2 decline and 2 processing trials
- Processed fractions
  - Pre-processing RAC grain
  - Bran
  - Flour
  - Middlings
  - Shorts
  - Germ

EASTWAN

### Residue Assessments – Summary

#### Barley:

- 10 trials in USA, including 1 decline and 1 processing trial
- 10 trials in Canada, including 2 decline and 1 processing trial
- Processed fractions:
  - Pre-processing RAC grain
  - Pearled barley
  - Bran
  - Flour

#### Oats:

- 18 trials in USA, including 2 decline and 2 processing trials
- Processed fractions:
  - Pre-processing RAC grain
  - Rolled oats (groats)
  - Flour

### **End-Use Product**

### Unique product contains:

• Chlormequat Chloride (54.87%)

Ex. 4 CBI

## Data Requirements to Support Section 3 End-Use Product Registration

### **Product Chemistry Requirements**

 We will submit Group A and Group B Product Chemistry to support our End-Use Product

EASTWAN

# Data Requirements to Support Section 3 End-Use Product Registration

### Toxicology

- A full six pack has been conducted on the end-use product
  - Acute Oral LD50 is between 300 mg/kg (Tox II) and 2,000 mg/kg (Tox III)
  - Acute Dermal Tox III
  - Acute Inhalation Tox IV
  - Primary Eye Irritation with 2 animals tested Tox III
  - Primary Dermal Irritation with 2 animals tested Tox IV
  - Dermal Sensitization Not a Sensitizer

### Thank you!

